

Class 2g(ii) ~ Project Boards

Two main problems are normally experienced with regard to project boards:

- 1. Untidy boards:** Project boards often appear untidy and in many cases this untidiness is augmented by supplementary boards providing information on enterprises forming part of the development project. This problem should be solved by arranging the proliferation of boards in such a way as to present a visual unity. Such boards may even be incorporated into the building site fence together with [Class 2g\(i\)](#) advertisements and property development boards ([Class 2g\(iv\)](#)) providing information on future units to be sold, let or leased.
- 2. Damaging Historical Structures:** In cases where no space is available for free-standing project boards such boards are often bolted to the building under renovation or alternation. Where historical buildings are at stake this may lead to the unnecessary damage of such buildings. This problem may be solved by making use of banners hung from the relevant building to display project information thereby eliminating any need to drill holes into the building.



A project board surrounded by various other untidy boards on unattractive advertising structures.





A good example of a project board incorporated into a construction site fence in a visual pleasant way (left).

Property development boards (below), providing information on future units to be sold, let or leased, may also be incorporated into such a fence.



No space for free-standing project boards. This board was therefore attached to the building. It could just as well be attached to the scaffolding.





Project boards bolted to historical buildings may cause unnecessary damage (left).



Instead of bolting project boards to historical buildings they should rather be suspended from such buildings in the form of banners.

